


ENCORE


Carpet Tile Collection



ENCORE



03 - Khaki Brown




04 - Khaki brown
Highlight strips - Orange/Yellow

ENCORE



11 - Oxford blue




12 - Oxford Blue
Highlight Strips -Yellow/Green

ENCORE



09 - Cloudy Grey



10 - Cloudy Grey
Highlight strips - Orange/Red

Specifications

Construction	Multi Level Loop
Fibre	100% Solution Dyed Olefin
Gauge	5/64"
Stitches	9 per inch
Pile Weight	20 oz/yd ²
Pile Height	2.5mm - 5mm ± (0.5mm)
Backing	Eco Back (PVC free)
Tile Size	50cm x 50cm
Packing	20 pcs/Box

Performance

FLAMMABILITY

Radiant Panel	Pass - Class I (ASTM E 648)
Methenamine Pill	Pass - 8 (ASTM D 2859)
Smoke Density	Pass - Max 450 (ASTM E 662)

COLOURFASTNESS

to light	Pass - 5 (AATCC 16 E)
to wet and dry crocking	Pass - 5 (AATCC 165)

STABILITY

Dimensional stability	Pass - 0.2% (AACHEN)
Tuft Bind	Pass - 8.0 lbs (ASTM D1335)
Static Propensity	Pass - 3.5 Kv (AATCC 134)
Castor Chair	Pass - 2.8 (BS AN 985)
Hexapod Drum	Pass - 3 (ASTM D5252)
Green carpet (VOC)	CRI Green Label Accredited GLP 6331#/6330#

